Ceddi Journal of Information System and Technology (JST)
Vol. 4 No. 2 December (2025)
https://doi.org/10.56134/jst.v4i2.153

ISSN: 2829-808X (print)
ISSN: 2829-6575 (online)

Serious Game-Based Flood Visualization System for Disaster Mitigation Capacity Building

Nur Idil Fitri Idris[1*], Yuliana[2], Markani[3] Rosmini[4]

[1]*Information Systems, Universitas Teknologi Akba Makassar, Makassar, Indonesia*
[2]*Informatics Engineering, Politeknik Indotec Kendari, Kendari, Indonesia*
[3]*Information Technology Education, Universitas Teknologi Akba Makassar, Makassar, Indonesia*
[4]*Digital Business, Universitas Teknologi Akba Makassar, Makassar, Indonesia*

Abstract

Flood-prone urban areas continue to face challenges in disaster preparedness due to limited public understanding of flood dynamics and appropriate mitigation responses. Conventional educational approaches often rely on static information that is insufficient to represent rapidly changing flood conditions. This study aims to design and evaluate a serious game–based flood visualization system that serves as an interactive educational medium for disaster mitigation capacity building. The research adopts a structured development approach based on the Game Development Life Cycle, encompassing needs analysis, virtual environment and scenario design, system implementation, and functional and user-based testing. Flood risk conditions are classified using multi-criteria environmental parameters and translated into real-time visual representations within a three-dimensional simulation environment. The results demonstrate that the developed system effectively supports users in recognizing flood behavior, understanding contributing factors, and identifying appropriate mitigation actions. User testing indicates high levels of clarity, engagement, and perceived educational value, suggesting that interactive visualization enhances experiential learning in disaster contexts. This study contributes to disaster education and information systems research by providing a replicable design model that integrates decision-support mechanisms with immersive visualization to strengthen community-level flood mitigation awareness and preparedness.

Keywords: Flood Visualization; Serious Game; Disaster Mitigation; Virtual Environment; Interactive Simulation

Received: 15 August 2025 **Revised:** 29 November 2025 **Accepted:** 12 December 2025 **Published:** 30 December 2025

Introduction

Flooding remains one of the most disruptive natural hazards affecting urban regions worldwide, with significant consequences for economic stability, social activities, and environmental sustainability. Rapid urbanization, land-use change, climate variability, and insufficient drainage infrastructure have intensified flood frequency and severity, particularly in coastal and low-lying cities (Cea & Costabile, 2022; Glago, 2021; Tingsanchali, 2012). In Indonesia, several metropolitan areas continue to experience recurrent flood events, where extreme rainfall combined with dense settlement patterns amplifies disaster impacts (Bennett et al., 2023; Gaborit, 2022). Makassar, as a fast-growing coastal city, has repeatedly reported inundation in residential zones, with water depths reaching levels that disrupt daily activities and force temporary evacuations (Ishak & Chowdhury, 2024; Yahya et al., 2025). These conditions underscore the urgency of strengthening community-level disaster preparedness through effective educational and information-based interventions.

Despite the availability of flood hazard information, public understanding of flood dynamics and appropriate mitigation measures remains uneven. Many disaster education initiatives still rely on textual explanations or static visual materials that inadequately represent the dynamic and spatial characteristics of flood events. Previous studies indicate that such approaches limit users' ability to develop situational awareness and translate knowledge into effective response actions during emergencies (Meechang et al., 2020). As a result, demand is growing for educational media that present flood scenarios in a more intuitive, engaging, and context-sensitive manner.

Interactive simulation technologies have gained increasing attention as tools for disaster education and training. Virtual environments let users observe, explore, and interact with simulated hazard conditions, supporting experiential learning that is difficult to achieve through conventional instruction (Garcia Ulerio et al., 2025; Khanal et al., 2022; N. Li et al., 2022). Digital games, particularly serious games designed for educational purposes, further enhance this potential by

*Corresponding author.
E-mail address: fitrinuridil@gmail.com (Nur Idil Fitri Idris)

© [2025] The Author(s). This article is licensed under a
Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

combining simulation with goal-oriented interaction and feedback mechanisms (Q. Li, 2010). Empirical evidence suggests that game-based learning environments can improve conceptual understanding, motivation, and cognitive engagement in risk-related contexts (Z. Feng et al., 2018; Mao et al., 2022). However, many existing disaster education applications remain limited in visual immersion or fail to integrate analytical decision-support mechanisms that reflect real-world environmental conditions.

To structure the development of interactive educational systems, several studies have adopted formal game development frameworks. The Game Development Life Cycle provides an iterative process that supports systematic design, prototyping, testing, and refinement of serious games (Aleem et al., 2016; Ramadan & Widyani, 2013; Zhu & Wang, 2019). Prior research demonstrates that the application of this model can yield educational games with high feasibility and usability when aligned with learning objectives (Ben Amara et al., 2024; Kobewka et al., 2014). In parallel, decision-support methods such as the Technique for Order Preference by Similarity to Ideal Solution have been widely used in flood risk assessment to process multi-criteria environmental data and generate hazard classifications (Esmaili & Karipour, 2024; Levy, 2005; H. Li et al., 2022). Nevertheless, integrating such analytical models into immersive three-dimensional educational simulations remains relatively limited.

Previous visualization-based flood studies have primarily focused on technical modeling or professional training, often without explicit consideration of public education and community engagement (Massaâbi et al., 2018; Wang et al., 2019). While these studies demonstrate the value of three-dimensional visualization for understanding flood processes, they frequently lack interactive gameplay elements that support sustained user engagement and contextual learning. Consequently, a gap persists between analytical flood modeling, visualization technology, and accessible educational media designed for non-expert users in disaster-prone communities.

Responding to this gap, the present study proposes the design and evaluation of a serious game–based flood visualization system that integrates a three-dimensional virtual environment with multi-criteria flood classification. Environmental parameters such as rainfall intensity, water level, drainage quality, temperature, and wind speed are processed using a decision-support approach to determine flood risk status, which is then translated into dynamic visual cues within the simulation (Kadir et al., 2024). By embedding these mechanisms within an interactive game framework, the system is intended to support experiential learning and enhance users' understanding of flood behavior and mitigation strategies in a realistic yet accessible manner.

This research aims to develop and assess a serious game–based flood visualization system as an educational medium for disaster mitigation capacity building, with a specific focus on flood-prone residential areas in Makassar. The study seeks to contribute to information systems and disaster education research by demonstrating how immersive visualization and decision-support integration can improve risk communication, learning effectiveness, and community preparedness in urban flood contexts.

Method

This research applies the Game Development Life Cycle as the primary methodological framework to guide the design, development, and evaluation of a serious game-based flood visualization system. The selection of this framework is based on its structured and iterative nature, which has been widely adopted in the development of educational and serious game applications due to its capacity to ensure systematic design, testing, and refinement processes (Aleem et al., 2016; Ramadan & Widyani, 2013; Roedavan et al., 2021). The method was chosen to support both technical robustness and educational effectiveness, enabling the resulting system to be evaluated not only as a functional application but also as a learning medium for disaster mitigation. The findings of this phase serve as the basis for the subsequent design and implementation stages.




Figure 1. Game Development Life Cycle (GDLC) Model

The research process begins with an initiation stage focused on identifying the problem and conducting contextual analysis. At this stage, information regarding flood characteristics in Makassar is examined based on recent flood studies and reports that describe rainfall intensity, inundation depth, drainage conditions, and settlement vulnerability in the area (Hendra et al., 2024; Ishak & Chowdhury, 2024; Yahya et al., 2025) This analysis defines system requirements, learning objectives, and target user characteristics, ensuring the simulation scenarios reflect real conditions communities face in flood-prone residential zones.

After identifying requirements, the pre-production stage translates conceptual needs into detailed system designs. Interaction flows and system behavior are modeled using Unified Modeling Language diagrams to describe user actions, system responses, and data processing sequences in a structured manner (Booch et al., 1996; Da-Silva & Paton, 2000). Interface layouts and navigation structures are designed using digital prototyping tools to support clarity and ease of interaction. Environmental parameters relevant to flood risk assessment, including rainfall intensity, water level, drainage quality, temperature, and wind speed, are defined based on multi-criteria flood hazard frameworks reported in previous studies (Esmaili & Karipour, 2024; Franci et al., 2016). Three-dimensional assets representing residential environments and flood-affected areas are then created to provide a realistic spatial context for the simulation, following established practices in disaster visualization development (Massaâbi et al., 2018; Wang et al., 2019).

The production stage involves implementing all design components within an interactive game engine. The virtual environment, three-dimensional visual assets, and user interface elements are integrated into a functional simulation environment consistent with the GDLC workflow (Roedavan et al., 2021). Flood risk classification is performed using the Technique for Order Preference by Similarity to Ideal Solution, which processes the defined environmental parameters to generate a relative flood risk score (Levy, 2005; H. Li et al., 2022). The resulting classification is dynamically linked to the visual simulation, allowing changes in risk level to be represented through water-level animation, environmental color changes, and alert indicators in near real time. This integration enables users to directly observe the relationship between environmental conditions and flood severity within the simulated environment.

System evaluation is conducted through functional testing and user-based assessment. Functional validation follows black-box testing principles to verify that system features operate according to predefined specifications without examining internal code structures (Firdhayanti et al., 2023; Supriyadi, 2020). Usability and educational value are evaluated through structured user testing involving a limited group of residents from selected flood-prone areas in Makassar. Participants interact with the simulation and provide feedback on interface clarity, visual realism, ease of interaction, system responsiveness, and perceived learning support, in line with recommended evaluation practices for serious games and interactive simulations (Cadiz et al., 2023; Mao et al., 2022). Feedback from this stage is used to refine system interaction, improve visual representation, and enhance the overall learning experience before final release.

The final stage consolidates revisions from testing and documents the full development and evaluation process. This documentation is intended to ensure transparency and replicability, allowing future researchers to adapt the

methodological approach, extend the system to other geographical contexts, or integrate additional data sources for enhanced disaster mitigation applications. By following an iterative and reproducible methodological framework, this research aligns with contemporary principles of serious game development and applied information systems research (Maxim & Arnedo-Moreno, 2025).

Results and Discussion

Result

The development of the serious game–based flood visualization system followed the stages defined in the Game Development Life Cycle framework. The final system integrates an interactive three-dimensional virtual environment, a flood risk classification module based on multi-criteria environmental parameters, and an educational scenario component that provides contextual mitigation guidance. These components operate cohesively to simulate flood conditions that evolve dynamically in response to changing environmental inputs. Figure 2 presents the main interface of the developed serious game, which serves as the primary interaction point for users.



Figure 2. Main Interface of the Flood Visualization Serious Game

Functional testing confirmed that all core system features operated as intended. The flood classification module successfully processed environmental parameters entered into the system, and it generated consistent risk levels across different testing scenarios. The system test examined several combinations of rainfall intensity, water level, and drainage quality to evaluate the classification mechanism's robustness. Table 2 summarizes a sample flood risk classification output produced by the system.

Table 2. Sample Flood Risk Classification Output

No	Rainfall (mm/h)	Water Level (cm)	Drainage Quality (%)	TOPSIS Score	Classification
1	12	15	80	0.22	Safe
2	35	40	60	0.48	Alert
3	60	75	45	0.72	Standby
4	85	110	30	0.91	Danger

The classification results demonstrate a clear progression from low-risk to high-risk flood conditions as environmental parameter values increase. These analytical results are directly linked to the visualization engine, which automatically converts flood risk levels into dynamic visual representations within the simulation environment. Variations in water elevation, environmental color saturation, and alert indicators allow users to interpret flood severity visually. Figure 3 shows an example of a high-risk flood scenario rendered by the system.




Figure 3. Visualization of a High-Risk Flood

In addition to functional validation, we conducted user-based testing to assess usability and perceived learning effectiveness. Participants interacted with the simulation and evaluated the system based on interface clarity, visual realism, ease of interaction, system responsiveness, and educational value. The usability evaluation results indicate positive user perceptions across all assessed indicators. Table 3 summarizes the usability assessment results.

Table 3. Usability Evaluation Results

No	Indicator	Mean Score	Category
1	Interface Clarity	4.4	Very Good
2	Visual Realism	4.2	Very Good
3	Ease of Interaction	4.1	Good
4	Educational Value	4.5	Very Good
5	System Responsiveness	4.3	Very Good

Overall, the results confirm that the developed serious game–based system meets its functional requirements and provides an interactive simulation experience that supports disaster mitigation learning.

Discussion

The findings show that integrating three-dimensional visualization, serious game mechanics, and multi-criteria flood classification enhances users' understanding of flood dynamics and mitigation strategies. Consistent with the assumptions outlined in the introduction, the results indicate that experiential learning environments offer clear advantages over conventional text-based or static visual materials. By enabling users to observe and interact with evolving flood scenarios, the system supports the development of situational awareness that is essential for effective disaster preparedness.

The successful application of the Technique for Order Preference by Similarity to Ideal Solution within the simulation confirms its suitability for processing multiple environmental indicators in a disaster education context. The close correspondence between analytical classification outputs and visual representations allows users to intuitively understand the relationship between environmental conditions and flood severity. This outcome supports prior studies emphasizing the value of integrating analytical models with visualization to improve risk communication and decision-making (Ding et al., 2014; Esmaili & Karipour, 2024; Levy, 2005). Unlike visualization-focused studies that primarily address technical users, the present system prioritizes accessibility and interpretability for non-expert audiences in flood-prone communities.

The usability evaluation results are consistent with earlier findings showing that interactive simulations and game-based learning environments can increase engagement, motivation, and perceived learning effectiveness (J. Feng et al., 2018; Mao et al., 2022). High ratings for interface clarity and educational value indicate that the system successfully balances technical complexity with user-friendly interaction, a critical requirement for community-oriented disaster education. Despite these strengths, several limitations remain. The current implementation relies on predefined environmental parameters rather than live data streams, limiting its applicability for real-time early warning. In addition, the visual simulation does not yet incorporate detailed hydrodynamic processes such as flow velocity variation or terrain-driven water movement. These limitations highlight opportunities for future research, including integrating real-time sensor data, expanding to broader geographical contexts, and refining visual realism.

Overall, the findings confirm that the developed serious game–based flood visualization system effectively addresses the research objective by providing an engaging and informative medium for disaster mitigation capacity building. Integrating decision-support analysis and immersive visualization advances the role of information systems and interactive technologies in strengthening community-based disaster education and preparedness.

Conclusions and Suggestions

Conclusions

This study shows that integrating three-dimensional visualization, serious game mechanics, and multi-criteria flood analysis makes a meaningful contribution to disaster mitigation education in flood-prone urban environments. By transforming complex environmental data into interactive visual scenarios, the developed system helps users better understand how flood conditions evolve and how to select appropriate mitigation actions across different risk levels. This approach effectively bridges the gap between abstract flood information and practical decision-making, particularly for non-expert users in community-based learning contexts.

The findings confirm that embedding a decision-support mechanism within an immersive simulation environment strengthens risk communication and enhances situational awareness. The Technique for Order Preference by Similarity to Ideal Solution allows multiple environmental indicators to be processed and translated into intuitive visual cues, supporting users' ability to interpret flood severity and respond accordingly. Combined with a structured game development framework, this integration produces a system that is both technically functional and educationally effective.

From an information systems perspective, this research contributes a replicable design model for serious game–based disaster education that aligns analytical classification with experiential learning principles. The system shows how interactive technologies can improve disaster mitigation capacity beyond traditional instructional approaches, offering a scalable alternative for community training and awareness programs. Overall, the study highlights the potential of immersive visualization and decision-support integration as strategic tools for strengthening disaster preparedness and advancing applied research in disaster education and information systems.

Suggestions

Based on this study's findings, several directions for future development and research can be proposed to enhance the applicability and impact of the serious game based flood visualization system. One important extension is integrating real-time environmental data from rainfall gauges, water-level sensors, or official hydrometeorological agencies. Incorporating live data streams would improve the simulation's accuracy and responsiveness, allowing the system to serve not only as an educational tool but also as a complementary medium for early-warning awareness and preparedness training.

Further research may also focus on expanding the three-dimensional virtual environment to represent broader geographical areas or multiple flood-prone zones with varying physical characteristics. Such expansion would let users explore diverse flood scenarios and support adapting the system to different regional contexts. Enhancing the hydrodynamic representation within the simulation, including more detailed modeling of water flow, terrain elevation, and inundation patterns, would further increase realism and strengthen the system's value for experiential learning.

From an educational perspective, future studies could explore incorporating adaptive learning mechanisms that respond to user behavior and performance during gameplay. Personalizing scenarios and feedback based on user interaction patterns may provide deeper insights into learning outcomes and behavioral readiness in disaster situations. Additionally, longitudinal evaluation involving schools, community organizations, and disaster management agencies is recommended to assess the system's long-term effectiveness in improving disaster mitigation literacy and preparedness. These directions offer opportunities to extend the current research while reinforcing the role of serious games and immersive information systems in disaster education and community resilience building.

Acknowledgments

The authors sincerely thank Universitas Teknologi Akba Makassar and Indotec Polytechnic Kendari for providing academic support and facilities that enabled this research. The authors also acknowledge community members in flood-prone areas of Makassar who participated in system testing and provided valuable feedback that helped refine the developed application.

Funding Statement

This research received no external funding.

Author Contribution

Nur Idil Fitri Idris: conceptualization, system design, data analysis, implementation, and manuscript drafting.
Yuliana: methodology development, software support, data acquisition, and manuscript review.
Markani: validation, alignment with the educational framework, critical revision of the manuscript, and supervision.
Rosmini: usability evaluation, data interpretation, editing, and final manuscript approval.

Research Ethics and Informed Consent

The user evaluation involved residents from selected flood-prone areas in Makassar, Indonesia. The researchers obtained permission from the relevant authorities before conducting the evaluation. The authors did not seek ethics approval or obtain informed consent from participants.

Conflict of Interest

The authors declare no conflicts of interest related to this study or its publication.

Data Availability Statement

The respective authors retain the data supporting the findings of this study. Requests for access should be directed to the corresponding author. Data may be shared upon reasonable request, subject to applicable institutional requirements and safeguards for participant confidentiality.

Declaration of Generative AI Use

Generative AI was used solely to refine sentence wording and paraphrase text for clarity and readability. The authors reviewed the revised text and take full responsibility for the final manuscript.

References

Aleem, S., Capretz, L. F., & Ahmed, F. (2016). Game development software engineering process life cycle: a systematic review. *Journal of Software Engineering Research and Development*, *4*(1), 6. https://doi.org/https://doi.org/10.1186/s40411-016-0032-7

Ben Amara, B., Mhiri Sellami, H., & Ben Said, L. (2024). An approach for serious game design and development based on iterative evaluation. *Journal of Software: Evolution and Process*, *36*(10), e2680. https://doi.org/https://doi.org/10.1002/smr.2680

Bennett, W. G., Karunarathna, H., Xuan, Y., Kusuma, M. S. B., Farid, M., Kuntoro, A. A., Rahayu, H. P., Kombaitan, B., Septiadi, D., Kesuma, T. N. A., & others. (2023). Modelling compound flooding: a case study from Jakarta, Indonesia. *Natural Hazards*, *118*(1), 277–305. https://doi.org/https://doi.org/10.1007/s11069-023-06001-1

Booch, G., Jacobson, I., Rumbaugh, J., & others. (1996). The unified modeling language. *Unix Review*, *14*(13), 5.

Cadiz, G. S., Lacre, G. J. R., Delamente, R. L., & Diquito, T. J. A. (2023). Game-based learning approach in science education: a meta-analysis. *International Journal of Social Science and Human Research*, *6*(03), 1856–1865.

Cea, L., & Costabile, P. (2022). Flood risk in urban areas: Modelling, management and adaptation to climate change. A review. *Hydrology*, *9*(3), 50. https://doi.org/https://doi.org/10.3390/hydrology9030050

Da-Silva, P., & Paton, N. W. (2000). UML i: The unified modeling language for interactive applications. *International Conference on the Unified Modeling Language*, 117–132. https://doi.org/https://doi.org/10.1007/3-540-40011-7_9

Ding, Y., Zhu, Q., & Lin, H. (2014). An integrated virtual geographic environmental simulation framework: a case study of flood disaster simulation. *Geo-Spatial Information Science*, *17*(4), 190–200. https://doi.org/https://doi.org/10.1080/10095020.2014.988199

Esmaili, R., & Karipour, S. A. (2024). Comparison of weighting methods of multicriteria decision analysis (MCDA) in evaluation of flood hazard index. *Natural Hazards*, *120*(9), 8619–8638. https://doi.org/https://doi.org/10.1007/s11069-016-2504-9

Feng, J., Zhang, Y., Liu, X., Zhang, L., & Han, X. (2018). Just the right amount of ethics inspires creativity: A cross-level investigation of ethical leadership, intrinsic motivation, and employee creativity. *Journal of Business Ethics*, *153*(3), 645–658.

Feng, Z., González, V. A., Amor, R., Lovreglio, R., & Cabrera-Guerrero, G. (2018). Immersive virtual reality serious games for evacuation training and research: A systematic literature review. *Computers & Education*, *127*, 252–266. https://doi.org/https://doi.org/10.1016/j.compedu.2018.09.002

Firdhayanti, A., Taufik, T., Bachry, B., & others. (2023). User Acceptance Testing through Blackbox Evaluation for Corn Distribution Information System. *Bit-Tech*, *6*(2), 208–215. https://doi.org/https://doi.org/10.32877/bt.v6i2.1065

Franci, F., Bitelli, G., Mandanici, E., Hadjimitsis, D., & Agapiou, A. (2016). Satellite remote sensing and GIS-based multi-criteria analysis for flood hazard mapping. *Natural Hazards*, *83*(Suppl 1), 31–51. https://doi.org/https://doi.org/10.1007/s11069-016-2504-9

Gaborit, P. (2022). Climate adaptation to Multi-Hazard climate related risks in ten Indonesian Cities: Ambitions and challenges. *Climate Risk Management*, *37*, 100453. https://doi.org/https://doi.org/10.1016/j.crm.2022.100453

Garcia Ulerio, J., Al Khatibd, M., Aammar, B., Ragazzoni, L., Barone-Adesi, F., & Caviglia, M. (2025). Simulation technology use in disaster medicine education and training: a scoping review. *Frontiers in Disaster and Emergency Medicine*, *3*, 1636285. https://doi.org/https://doi.org/10.3389/femer.2025.1636285

Glago, F. J. (2021). Flood disaster hazards; causes, impacts and management: a state-of-the-art review. *Natural Hazards-Impacts, Adjustments and Resilience*. https://doi.org/https://doi.org/10.5772/intechopen.95048

Hendra, P., Ilham, A., & Intan, A. (2024). Flood analysis based on the influence of geomorphology and rainfall patterns in the Tallo River flow area, makassar city, South Sulawesi province, Indonesia. *45th Asian Conference on Remote Sensing, ACRS 2024*.

Ishak, B. S., & Chowdhury, K. (2024). The role of local governments in flood disaster mitigation in Makassar city. *Tamalanrea: Journal of Government and Development (JGD)*, *1*(2), 101–111. https://doi.org/https://doi.org/10.69816/jgd.v1i2.36472

Kadir, T. A. A., Xuan, D. Y. W., & Nazri, S. N. (2024). Building Flood Resilience: A 3D Simulation Game for Public Awareness. *2024 IEEE International Conference on Computing (ICOCO)*, 446–451. https://doi.org/https://doi.org/10.1109/ICOCO62848.2024.10928216

Khanal, S., Medasetti, U. S., Mashal, M., Savage, B., & Khadka, R. (2022). Virtual and augmented reality in the disaster management technology: a literature review of the past 11 years. *Frontiers in Virtual Reality*, *3*, 843195. https://doi.org/https://doi.org/10.3389/frvir.2022.843195

Kobewka, D., Backman, C., Hendry, P., Hamstra, S. J., Suh, K. N., Code, C., & Forster, A. J. (2014). The feasibility of e-learning as a quality improvement tool. *Journal of Evaluation in Clinical Practice*, *20*(5), 606–610. https://doi.org/https://doi.org/10.1111/jep.12169

Levy, J. K. (2005). Multiple criteria decision making and decision support systems for flood risk management. *Stochastic Environmental Research and Risk Assessment*, *19*(6), 438–447. https://doi.org/https://doi.org/10.1007/s00477-005-0009-2

Li, H., Yazdi, M., Huang, C.-G., & Peng, W. (2022). A reliable probabilistic risk-based decision-making method: Bayesian Technique for Order of Preference by Similarity to Ideal Solution (B-TOPSIS). *Soft Computing*, *26*(22),

12137–12153. https://doi.org/https://doi.org/10.5614/itbj.ict.res.appl.2021.15.3.6

Li, N., Sun, N., Cao, C., Hou, S., & Gong, Y. (2022). Review on visualization technology in simulation training system for major natural disasters. *Natural Hazards*, *112*(3), 1851–1882. https://doi.org/https://doi.org/10.1007/s11069-022-05277-z

Li, Q. (2010). Digital game building: Learning in a participatory culture. *Educational Research*, *52*(4), 427–443. https://doi.org/https://doi.org/10.1080/00131881.2010.524752

Mao, W., Cui, Y., Chiu, M. M., & Lei, H. (2022). Effects of game-based learning on students' critical thinking: A meta-analysis. *Journal of Educational Computing Research*, *59*(8), 1682–1708. https://doi.org/https://doi.org/10.1177/07356331211007098

Massaâbi, M., Layouni, O., Oueslati, W. B. M., & Alahmari, F. (2018). An immersive system for 3d floods visualization and analysis. *International Conference on Immersive Learning*, 69–79. https://doi.org/https://doi.org/10.1007/978-3-319-93596-6_5

Maxim, R. I., & Arnedo-Moreno, J. (2025). Identifying key principles and commonalities in digital serious game design frameworks: Scoping review. *JMIR Serious Games*, *13*, e54075. https://doi.org/https://doi.org/10.2196/54075

Meechang, K., Leelawat, N., Tang, J., Kodaka, A., & Chintanapakdee, C. (2020). The acceptance of using information technology for disaster risk management: A systematic review. *Engineering Journal*, *24*(4), 111–132. https://doi.org/https://doi.org/10.4186/ej.2020.24.4.111

Ramadan, R., & Widyani, Y. (2013). Game development life cycle guidelines. *2013 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, 95–100. https://doi.org/https://doi.org/10.1109/ICACSIS.2013.6761558

Roedavan, R., Pudjoatmodjo, B., Siradj, Y., Salam, S., & Hardianti, B. Q. (2021). Serious Game Development Model Based on the Game-Based Learning Foundation. *Journal of ICT Research & Applications*, *15*(3).

Supriyadi. (2020). Functional test of the online Recognition of Work Experience and Learning Outcome System using black box testing. *Journal of Physics: Conference Series*, *1446*(1), 12060. https://doi.org/https://doi.org/10.1088/1742-6596/1446/1/012060

Tingsanchali, T. (2012). Urban flood disaster management. *Procedia Engineering*, *32*, 25–37. https://doi.org/https://doi.org/10.1016/j.proeng.2012.01.1233

Wang, C., Hou, J., Miller, D., Brown, I., & Jiang, Y. (2019). Flood risk management in sponge cities: The role of integrated simulation and 3D visualization. *International Journal of Disaster Risk Reduction*, *39*, 101139. https://doi.org/https://doi.org/10.1016/j.ijdrr.2019.101139

Yahya, M., Mujahid, L. M. A., Akbar, M., Sastrawati, I., Mahamud, M. A., & Irfan, M. (2025). Application of Flood Modeling in Informal Settlement Areas in Makassar City, Indonesia. *Planning*, *20*(5), 1831–1846. https://doi.org/https://doi.org/10.18280/ijsdp.200503

Zhu, M., & Wang, A. I. (2019). Model-driven game development: A literature review. *ACM Computing Surveys (CSUR)*, *52*(6), 1–32. https://doi.org/https://doi.org/10.1145/3365000